




PMC 2500S

Cup & Container Forming Machine :

High-Speed Performance, Reliable Production,
Versatile Solutions.




8900 West Bradley Road
Milwaukee, WI 53224 USA

contact@papermc.com
PAPERMC.COM

APPLICATION RANGE


Speed Without Compromise.

From quick-service beverages to premium food packaging, the PMC 2500s delivers consistent, high-quality output across the widest range of paperboard cup and container formats in its class.




Extend Your Services to New Markets

The PMC 2500S is the newest evolution of PMC's line of entirely servo-driven, state of the art machines. It efficiently forms paperboard tapered or straight wall, round and non-round cups and containers.



Efficient & Flexible

Tooling changeover on PMC's servo-driven machines can be achieved within an eight hour shift, making them an excellent choice for small production runs. New enhancements on the 2500S further reduce changeover time, increase efficiencies, and improve ergonomics.



Tailored for Your Needs

The PMC 2500S features a servo bottom feeder to bypass splices, a cycle stop to clear blanks, and an idle mode to facilitate maximum production. It produces tapered cups and containers at speeds up to 170 CPM, ranging from 4 oz. to 46 oz. depending on configuration.

Machine Specifications & Utility Requirements

- **PMC 2500S**
- Cup & Container Forming Machine
- Rev. Current




MACHINE SPECIFICATIONS

Output Speed	Up to 170 cups/ containers per minute
Container Size Range	4 oz to 46 oz (120 ml to 1,360 ml)
Approximate Machine Weight	Base Machine: 13,500 lbs (6,124 kg) Electrical Cabinet: 1,500 lbs (680 kg)
Materials	Cups and containers are made from pre-printed die-cut sidewall blanks or roll stock and web-fed bottom material.

UTILITY REQUIREMENTS

Electrical	105 kVA, 3-Phase, 50 or 60 Hz
Compressed Air	150 scfm @ 80 psi
Vacuum	90 scfm @ 18 inch Hg
Water	0.5 gal/min @ 20 lb/inch ² Hg

PMC 2500S





**PAPER
MACHINERY
CORPORATION**